

Environmental Resources Impact Table

These resources and the restrictions listed are governed by state and federal law.

Resource Name (from Section A of the ECT)	Location			Permitted Construction Activity (from Section A of the ECT)	Comments (from Section C of the ECT, comments only)
	Beginning STA	Ending STA	Side		
IS 21	38+40	38+40	LT	.	A note shall be added on the plans stating that "No construction access or activity is permitted in this area" for all environmentally sensitive areas (ESAs) located in advanced signage areas or in areas well beyond the construction activity where the resource is separated from the project work by 1-85 lanes, CD roads, off-ramps, etc. No orange barrier fencing (OBF) shall be placed along these resources.
IS 21 Buffer	37+90	38+50	LT	.	.
IS 22	40+70	41+40	LT	.	.
IS 22 Buffer	40+30	41+60	LT	.	.
IS 27A	83+90	83+90	LT	.	The contractor will ensure that no construction-related activities or access occur within the Orange Barrier Fencing protecting this resource.
IS 27A Buffer	83+55	85+30	LT	.	.
PS 28	61+45	97+00	Both	125.5 ft (0.03 ac) of crossing impact, and 49.2 ft (0.02 acre) of armor impact	.
PS 28 Buffer	61+45	97+00	Both	Activities within 50 ft of the proposed culvert are exempt	.
PS 29	85+30	88+60	LT	No Activity	.
PS 29 Buffer	85+30	88+60	LT	.	.
Ephemeral Channel (EC) 29A	80+30	82+25	LT	.	.
IS 29B	82+25	83+90	LT	.	.
IS 29B Buffer	82+25	83+90	LT	.	.
WL 30	90+40	91+95	RT	.	.
WL 35	94+10	95+75	RT	0.31 ac fill impact	.
IS 35A	93+35	94+20	RT	48.2 ft (0.002 ac) of crossing impact	.
IS 35A Buffer	93+75	94+40	RT	Activities within 50 feet of the proposed culvert are exempt	.
WL 36	88+85	93+10	LT	No Activity	A note shall be added on the plans stating that "No construction access or activity is permitted in this area" for all environmentally sensitive areas (ESAs) located in advanced signage areas or in areas well beyond the construction activity where the resource is separated from the project work by 1-85 lanes, CD roads, off-ramps, etc. No orange barrier fencing (OBF) shall be placed along these resources.
PS 37	92+10	113+50	LT	.	The contractor will ensure that no construction-related activities or access occur within the Orange Barrier Fencing protecting this resource.
PS 37 Buffer	91+60	113+50	LT	.	.
PS 37A	114+15	114+15	LT	20.8 ft (0.002 ac) of crossing impact	.
PS 37A Buffer	113+80	114+40	LT	Activities within 50 feet of the proposed culvert are exempt	.
IS 37B	114+15	114+15	RT	43.0 ft (0.004 ac) of crossing impact	.
IS 37B Buffer	113+80	114+40	RT	Activities within 50 feet of the proposed culvert are exempt	.
IS 40	97+10	97+10	Both	83.2 linear feet (0.008 ac) of crossing (pipe) impact	.
IS 40 Buffer	96+90	97+20	Both	Activities within 50 feet of the proposed culvert are exempt	.
IS 40A	97+15	104+60	RT	No Activity	.
IS 40A Buffer	97+15	104+60	RT	.	.
WL 41	97+20	107+25	LT	.	.
PS 46	130+15	130+15	Both	56.1 ft (0.01 ac) of crossing impact, 55.4 ft (0.008 ac) of armor impact, and 4.2 ft (0.0004 ac) of temporary impact	.
PS 46 Buffer	129+75	130+40	Both	Buffer would be encroached and a buffer variance is needed	.
WL 49	129+55	137+10	LT	No Activity	.
PS 50	139+00	139+00	Both	37.1 ft (0.005 ac) of crossing impact, 52.5 ft (0.004 ac) of armor impact, and 6.7 ft (0.002 ac) of temporary impact	.



RELEASE FOR CONSTRUCTION 07/27/2016

REVISION DATES		

STATE OF GEORGIA
 DEPARTMENT OF TRANSPORTATION
 OFFICE: INNOVATIVE DELIVERY
GENERAL NOTES
 PROJECT: 1-85 NORTH EXPRESS LANE EXTENSION
 COUNTY: GWINNETT

DRAWING No. 04-007