EXISTING OVERHEAD	OVERHEAD TO BE REMOVED	PROPOSED OVERHEAD	TYPE OF UTILITY
E	E	E	ELECTRIC
E-T	E-T	E-T	ELECTRIC/TELECOMMUNICATIONS
E-TV	E-TV	E-TV	ELECTRIC/CABLE TV
E-TC	E-TC	E-TC	ELECTRIC/TRAFFIC CONTROL
E-T-TV	E-T-TV	E-T-TV	ELECTRIC/TELECOMMUNICATIONS/CABLE TV
E-T-TV-TC	E-T-TV-TC	E-T-TV-TC	ELECTRIC/TELECOMMUNICATIONS/CABLE TV/TRAFFIC CONTROL
E-TV-TC	E-TV-TC	E-TV-TC	ELECTRIC/CABLE TV/TRAFFIC CONTROL
E-T-TC	E-T-TC	E-T-TC	ELECTRIC/TELECOMMUNICATIONS/TRAFFIC CONTROL
GW	GW	GW	GUY WIRE
T	T	T	TELECOMMUNICATIONS
T-TC	T-TC	T-TC	TELECOMMUNICATIONS/TRAFFIC CONTROL
T-TV-TC	T-TV-TC	T-TV-TC	TELECOMMUNICATIONS/CABLE TV/TRAFFIC CONTROL
T-TV	T-TV	T-TV	TELECOMUNICATIONS/CABLE TV
TV	TV	TV	CABLE TV
TV-TC	TV-TC	TV-TC	CABLE TV/TRAFFIC CONTROL
TC	TC	TC	TRAFFIC CONTROL

EXISTING UNDERGROUND	UNDERGROUND TO BE REMOVED	PROPOSED UNDERGROUND	TYPE OF UTILITY
E	E	E	ELECTRIC (QL-D)
E(C)	E(C)		ELECTRIC (QL-C)
E(B)	E(B)		ELECTRIC (QL-B)
T	T	T	TELECOMMUNICATIONS (QL-D)
T(C)	T(C)		TELECOMMUNICATIONS (QL-C)
T(B)	T(B)		TELECOMMUNICATIONS (QL-B)
TV	TV	TV	CABLE TV (QL-D)
TV(C)	TV(C)		CABLE TV (QL-C)
TV(B)	TV(B)		CABLE TV (QL-B)
W	W	W	WATER (QL-D)
W(C)	W(C)		WATER (QL-C)
W(B)	W(B)		WATER (QL-B)
••"W	••"W	••"W	WATER FOR LABELED PIPE SIZES (QL-D)
••"W(C)	••"W(C)		WATER FOR LABELED PIPE SIZES (QL-C)
••"W(B)	••"W(B)		WATER FOR LABELED PIPE SIZES (QL-B)
NW	NW	NW	NON-POTABLE WATER (QL-D)
NW(C)	NW(C)		NON-POTABLE WATER (QL-C)
NW(B)	NW(B)		NON-POTABLE WATER (QL-B)
••"NW	••"NW	••"NW	NON-POTABLE WATER FOR LABELED PIPE SIZES (QL-D)
••"NW(C)	••"NW(C)		NON-POTABLE WATER FOR LABELED PIPE SIZES (QL-C)
••"NW(B)	••"NW(B)		NON-POTABLE WATER FOR LABELED PIPE SIZES (QL-B)
STM	STM	STM	STEAM (QL-D)
STM(C)	STM(C)		STEAM (QL-C)
STM(B)	STM(B)		STEAM (QL-B)
••"STM	••"STM	••"STM	STEAM FOR LABELED PIPE SIZES (QL-D)
••"STM(C)	••"STM(C)		STEAM FOR LABELED PIPE SIZES (QL-C)
••"STM(B)	••"STM(B)		STEAM FOR LABELED PIPE SIZES (QL-B)
SS	SS	SS	SANITARY SEWER WITH FLOW DIRECTION (QL-D)
SS(C)	SS(C)		SANITARY SEWER WITH FLOW DIRECTION (QL-C)
SS(B)	SS(B)		SANITARY SEWER WITH FLOW DIRECTION (QL-B)
••"SS	••"SS	••"SS	SANITARY SEWER WITH FLOW DIRECTION FOR LABELED PIPE SIZES (QL-D)
••"SS(C)	••"SS(C)		SANITARY SEWER WITH FLOW DIRECTION FOR LABELED PIPE SIZES (QL-C)
••"SS(B)	••"SS(B)		SANITARY SEWER WITH FLOW DIRECTION FOR LABELED PIPE SIZES (QL-B)
SFM	SFM	SFM	SANITARY SEWER FORCE MAIN WITH FLOW DIRECTION (QL-D)
SFM(C)	SFM(C)		SANITARY SEWER FORCE MAIN WITH FLOW DIRECTION (QL-C)
SFM(B)	SFM(B)		SANITARY SEWER FORCE MAIN WITH FLOW DIRECTION (QL-B)
G	G	G	GAS (QL-D)
G(C)	G(C)		GAS (QL-C)
G(B)	G(B)		GAS (QL-B)
••"G	••"G	••"G	GAS FOR LABELED PIPE SIZES (QL-D)
••"G(C)	••"G(C)		GAS FOR LABELED PIPE SIZES (QL-C)
••"G(B)	••"G(B)		GAS FOR LABELED PIPE SIZES (QL-B)
P	P	P	PETROLEUM (QL-D)
P(C)	P(C)		PETROLEUM (QL-C)
P(B)	P(B)		PETROLEUM (QL-B)
••"P	••"P	••"P	PETROLEUM FOR LABELED PIPE SIZES (QL-D)
••"P(C)	••"P(C)		PETROLEUM FOR LABELED PIPE SIZES (QL-C)
••"P(B)	••"P(B)		PETROLEUM FOR LABELED PIPE SIZES (QL-B)
TC	TC	TC	TRAFFIC CONTROL (QL-D)
TC(C)	TC(C)		TRAFFIC CONTROL (QL-C)
TC(B)	TC(B)		TRAFFIC CONTROL (QL-B)
UNK(B)	UNK(B)		UNKNOWN UTILITY FOUND IN SUE INVESTIGATION (QL-B)

UTILITY LEGEND

UTILITY CELLS

EXISTING	PROPOSED	TEMPORARY	
E	E	E	ELECTRIC MANHOLE
H	H	H	HAND HOLE
E	E	E	TRANSFORMER
E	E	E	ELECTRIC METER
			UTILITY POLE/GUY POLE
			LIGHT POLE
			GUY ANCHOR
E	E	E	ELECTRIC BOX
M	M	M	MARKER
T	T	T	TELECOMMUNICATIONS MANHOLE
T	T	T	TELECOMMUNICATIONS PEDESTAL
X	X	X	SPLICE BOX
SLC	SLC	SLC	SUBCRIBER LOOP CARRIER (aka "SLICK")
			CABINET
			PHONE BOOTH
			CABLE TV PEDESTAL
TV	TV	TV	CABLE TV MANHOLE
W	W	W	WATER VALVE
W	W	W	WATER METER
W	W	W	WATER MANHOLE
			FIRE HYDRANT ASSEMBLY (INCLUDES ASSOCIATED VALVE)
BFP	BFP	BFP	BACKFLOW PREVENTER
PIV	PIV	PIV	PRESSURE INDICATOR VALVE
ARV	ARV	ARV	AIR RELEASE VALVE

EXISTING	PROPOSED	TEMPORARY	
W	W	W	WELL
W	W	W	WATER VAULT
W	W	W	WATER VALVE MARKER
			STAND PIPE
			CLEANOUT
SS	SS	SS	SANITARY SEWER MANHOLE
ARV	ARV	ARV	AIR RELEASE VALVE
GT	GT	GT	GREASE TRAP
S	S	S	SANITARY SEWER FORCE MAIN VALVE
			VENT
G	G	G	GAS VALVE
G	G	G	GAS METER
G	G	G	GAS MANHOLE
GPR	GPR	GPR	GAS PRESSURE REGULATOR
G	G	G	GAS VAULT
GTS	GTS	GTS	GAS TEST STATION
P	P	P	PETROLEUM VALVE

MISC.

LOS	LIMITS OF OVERHEAD AND SUBSURFACE UTILITY INVESTIGATION
TH	TEST HOLE (QL-A ONLY)
EOI	END OF INFORMATION
	QUALITY LEVEL (QL) DELINEATION
123	POLE ID
A10	SANITARY SEWER MANHOLE (SSMH) ID

QUALITY LEVELS AND DEFINITIONS

QL-D DEPICTED ACCORDING TO UTILITY RECORD INFORMATION AND IN-FIELD VISUAL INSPECTION. NO ELECTRONIC DESIGNATING INFORMATION WAS OBTAINED.

QL-C EXISTING UTILITY STRUCTURES HAVE BEEN FIELD LOCATED AND SURVEYED TO ASSIST IN DEPICTING THE UTILITIES SHOWN ON RECORDS. NO ELECTRONIC DESIGNATING INFORMATION WAS OBTAINED.

QL-B INFORMATION WAS OBTAINED THROUGH THE APPLICATION OF APPROPRIATE SURFACE GEOPHYSICAL METHODS TO DETERMINE THE EXISTENCE AND APPROPRIATE HORIZONTAL POSITION OF THE SUBSURFACE UTILITIES. QL-B DATA SHOULD BE REPRODUCIBLE BY SURFACE GEOPHYSICS AT ANY POINT OF THEIR DEPICTION. THIS INFORMATION IS SURVEYED TO APPLICABLE TOLERANCES DEFINED BY THE PROJECT AND REDUCED ONTO PLAN DOCUMENTS.

QL-A OBTAIN PRECISE HORIZONTAL AND VERTICAL POSITION OF THE UTILITY LINE BY EXCAVATING A TEST HOLE. THE TEST HOLE SHALL BE DONE USING VACUUM EXCAVATION OR COMPARABLE NONDESTRUCTIVE EQUIPMENT IN A MANNER AS TO CAUSE NO DAMAGE TO THE UTILITY LINE. AFTER EXCAVATING A TEST HOLE, A FIELD SURVEY SHALL BE PERFORMED TO DETERMINE THE EXACT LOCATION AND POSITION OF THE UTILITY LINE.

TELEPHONE PAIR SIZE TABLE

TELEPHONE PAIR SIZE	TELEPHONE CABLE DIAMETER
5 - 100	0.50 TO 2.00 IN
101 - 2400	UP TO 3.50 IN

GEORGIA811®
Utilities Protection Center, Inc.

Know what's **below.**
Call before you dig.

GEORGIA DEPARTMENT OF TRANSPORTATION

URS
400 NORTHPARK TOWN CENTER
1000 ABERNATHY ROAD, N.E., SUITE 900
ATLANTA, GEORGIA 30328
TEL: (678) 808-8800 FAX: (678) 808-8400

SCALE IN FEET
0 20 40 80

REVISION DATES

STATE OF GEORGIA
DEPARTMENT OF TRANSPORTATION
OFFICE: PROGRAM DELIVERY

UTILITY PLANS

SR 8 (PONCE DE LEON AVENUE)
PEDESTRIAN SAFETY IMPROVEMENT

DRAWING No. 24-000