

# ENVIRONMENTAL RESOURCES IMPACTS TABLE

Stream 16 Buffer	267+76.00	270+02.00	Both	Roadway construction, culvert construction, ditch paving.	Activities within 50 feet of the culvert are exempt	GESA	N/A	Roadway drainage exemption--work beyond 50 feet of the proposed culvert construction would require a stream buffer variance or written permission from Georgia EPD prior to commencement of the activity.
Open Water 17	286+38.00	287+10.00	Left	None	None	Section 404 of the CWA	N/A	No impacts based on construction plans dated 12/2011. Any changes to impacts will need to be permitted under Section 404 of the CWA.
Open Water 17	285+90.00	287+37.00	Left	None	None	GESA	N/A	No impacts based on construction plans dated 12/2011.
Stream 18	285+22.00	286+35.00	Both	Roadway construction, culvert construction, ditch paving.	379 lf; 0.07 acre	Section 404 of the CWA	N/A	A Section 404 IP is being sought for this impact. Any changes to impacts will need to be permitted under Section 404 of the CWA.
Stream 18 Buffer	284+95.00	286+62.00	Both	Roadway construction, culvert construction, ditch paving.	Activities within 50 feet of the culvert are exempt	GESA	N/A	Roadway drainage exemption--work beyond 50 feet of the proposed culvert construction would require a stream buffer variance or written permission from Georgia EPD prior to commencement of the activity.
Stream 19	296+20.00	298+90.00	Both	Roadway construction, culvert construction, ditch paving.	518 lf; 0.09 acre	Section 404 of the CWA	N/A	A Section 404 IP is being sought for this impact. Any changes to impacts will need to be permitted under Section 404 of the CWA.
Stream 19 Buffer	296+02.00	299+15.00	Both	Roadway construction, culvert construction, ditch paving.	Activities within 50 feet of the culvert are exempt	GESA	N/A	Roadway drainage exemption--work beyond 50 feet of the proposed culvert construction would require a stream buffer variance or written permission from Georgia EPD prior to commencement of the activity.
Open Water 20	310+49.00	312+23.00	Right	Roadway construction, culvert construction, ditch paving.	0.21 acre	Section 404 of the CWA	N/A	A Section 404 IP is being sought for this impact. Any changes to impacts will need to be permitted under Section 404 of the CWA.
Stream 21	310+94.00	311+87.00	Both	Roadway construction, culvert construction, ditch paving.	237 lf; 0.09 acre	Section 404 of the CWA	N/A	A Section 404 IP is being sought for this impact. Any changes to impacts will need to be permitted under Section 404 of the CWA.
Stream 21 Buffer	310+96.00	312+41.00	Both	Roadway construction, culvert construction, ditch paving.	Activities within 50 feet of the culvert are exempt	GESA	N/A	Roadway drainage exemption--work beyond 50 feet of the proposed culvert construction would require a stream buffer variance or written permission from Georgia EPD prior to commencement of the activity.
Stream 22	323+65.00	325+75.00	Both	Roadway construction, culvert construction, ditch paving.	739 lf; 0.16 acre	Section 404 of the CWA	N/A	A Section 404 IP is being sought for this impact. Any changes to impacts will need to be permitted under Section 404 of the CWA.
Stream 22 Buffer	323+51.00	326+02.00	Both	Roadway construction, culvert construction, ditch paving.	Activities within 50 feet of the culvert are exempt	GESA	N/A	Roadway drainage exemption--work beyond 50 feet of the proposed culvert construction would require a stream buffer variance or written permission from Georgia EPD prior to commencement of the activity.
Stream 23	340+07.00	343+29.00	Both	Roadway construction, culvert construction, ditch paving.	632 lf; 0.15 acre	Section 404 of the CWA	N/A	A Section 404 IP is being sought for this impact. Any changes to impacts will need to be permitted under Section 404 of the CWA.
Stream 23 Buffer	339+83.00	343+50.00	Both	Roadway construction, culvert construction, ditch paving.	Activities within 50 feet of the culvert are exempt	GESA	N/A	Roadway drainage exemption--work beyond 50 feet of the proposed culvert construction would require a stream buffer variance or written permission from Georgia EPD prior to commencement of the activity.
Stream 25	358+18.00	358+95.00	Right	None	None	Section 404 of the CWA	N/A	No impacts based on construction plans dated 12/2011. Any changes to impacts will need to be permitted under Section 404 of the CWA.
Stream 25 Buffer	358+62.00	359+20.00	Right	None	None	GESA	N/A	No impacts based on construction plans dated 12/2011. Any changes to impacts will need to be permitted under Section 404 of the CWA.
Stream 26	368+63.00	369+73.00	Both	Roadway construction, culvert construction, ditch paving.	348 lf; 0.06 acre	Section 404 of the CWA	N/A	A Section 404 IP is being sought for this impact. Any changes to impacts will need to be permitted under Section 404 of the CWA.
Stream 26 Buffer	368+38.00	370+17.00	Both	Roadway construction, culvert construction, ditch paving.	Activities within 50 feet of the culvert are exempt	GESA	N/A	Roadway drainage exemption--work beyond 50 feet of the proposed culvert construction would require a stream buffer variance or written permission from Georgia EPD prior to commencement of the activity.
Wetland 27	369+44.00	372+38.00	Right	Roadway construction, culvert construction, ditch paving.	0.75 acre	Section 404 of the CWA	N/A	A Section 404 IP is being sought for this impact. Any changes to impacts will need to be permitted under Section 404 of the CWA.



REVISION DATES


GEORGIA  
 DEPARTMENT OF TRANSPORTATION  
**GENERAL/PROJECT NOTES**  
 PROJECT EDS00-0545-00(020)  
 COUNTY FRANKLIN/  
 STEPHENS