

USE ON CONSTRUCTION

SEDIMENT BASINS:
There are no Sediment Basins utilized on this project. All outfall location are noted on below.

OUTFALL 1: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 0.46 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

OUTFALL 2: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 1.55 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

OUTFALL 3: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 1.88 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

OUTFALL 4: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 0.59 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

OUTFALL 5: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 0.87 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

OUTFALL 6: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 0.86 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

OUTFALL 7: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 1.07 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

OUTFALL 8: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 0.37 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

OUTFALL 9: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 0.25 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

OUTFALL 10: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 0.44 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

OUTFALL 11: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 1.10 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

OUTFALL 12: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 1.45 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

OUTFALL 13: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 0.43 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

OUTFALL 14: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 2.12 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

OUTFALL 15: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 2.33 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

OUTFALL 16: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 0.24 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

OUTFALL 17: A Sediment Basin is not used at this location. The disturbed area within the drainage area is 0.64 acres. The disturbance activities consists of road widening, construction of slopes and drainage. BMP's as shown on the erosion control plans will be adequate to control sediment runoff at this location. Land disturbance activities associated with constructing and removing a sediment basin at this location would cause additional adverse impacts.

<p>GEORGIA DEPARTMENT OF TRANSPORTATION</p>				<p>REVISION DATES</p> <table border="1" style="width:100%; border-collapse: collapse;"> <tr><td> </td><td> </td><td> </td></tr> </table>																									<p>STATE OF GEORGIA DEPARTMENT OF TRANSPORTATION OFFICE: D2 DESIGN ESPCP GENERAL NOTES LAURENS COUNTY</p>	<p>DRAWING No. 51-002</p>