STATE	PROJECT NUMBER	SHEET NO	TOTAL SHEETS
GA.	EDF-017-3(39)	103	194



TOP VIEW



FRONT VIEW

NOTES:

(1)
CONCRETE APRONS SHOWN IN TOP VIEW SHALL BE CLASS "A", 6" THICKNESS WITH NO STEEL REINFORCEMENT. PAYMENT FOR THIS SHALL BE IN ACCORDANCE WITH STANDARD SPECS., SECTION 163.05.

(2)
REMOVAL OF THE TYPE I SILT CONTROL GATE SHALL BE IN ACCORDANCE WITH STANDARD SPECS., SECTION 163.03, A-7

TYPE - 1
FOR
BOX CULVERTS



TOP VIEW

FRONT VIEW

NOTE: no space to be allowed between boards



TYPE — 2
FOR
STRAIGHT HEADWALLS

Type-4 Silt Gate and Inlet to be built continuous with pipe



SIDE VIEW

TOP VIEW

TYPE — 4
FOR
DROP INLETS



TOP VIEW

NOTE: no space to be allowed between boards



FRONT VIEW



SIDE VIEW

TYPE — 3 FOR
FLARED END SECTIONS AND
SPECIAL DESIGN HEADWALLS

R.M.U.	REM. REF. TO '72 SPECS.	3-22-78
R.M.U.	ADD. NOTES TYPE 1	6-10-75
L.W.M.	TYPE-4	9-23-74
J.M.W.	FLARED END SECT.	4-1-74

DEPARTMENT OF TRANSPORTATION
STATE OF GEORGIA

SILT CONTROL GATES
FOR STRUCTURES
TYPE — 1, 2, 3, 4

Designed J.L.P.
Drawn J.M.W.
Traced J.M.W.
Checked H.R.
8-72

D-20