

ALL DRIVEWAYS THAT ARE TO BE RECONSTRUCTED SHALL BE PLACED IN KIND I.E. ASPHALT FOR ASPHALT, CONCRETE FOR CONCRETE, AND AGGREGATE SURFACE COURSE FOR DIRT DRIVES. DRIVEWAY RELOCATIONS ARE SHOWN FROM THE BEST AVAILABLE DATA. THE CONTRACTOR SHALL CONSTRUCT NEW DRIVEWAYS TO MATCH THE ACTUAL FIELD LOCATION OF EXISTING DRIVEWAYS OR AS LOCATED IN THE PLANS. RESIDENTIAL DRIVES SHALL BE 14 FEET WIDE AT THE THROAT UNLESS NOTED OTHERWISE IN THE PLANS. COMMERCIAL DRIVES SHALL BE 24 FEET WIDE UNLESS NOTED OTHERWISE IN THE PLANS. THE CONTRACTOR SHALL OBTAIN THE APPROVAL FROM THE ENGINEER PRIOR TO MAKING ANY REVISIONS TO LOCATION, WIDTH, AND/OR NUMBER OF DRIVES TO BE CONSTRUCTED. REQUIRED DRIVEWAY EASEMENTS NOT SHOWN ON THE PLANS SHALL BE ACQUIRED. DRIVES SHALL BE CONSTRUCTED USING:

ASPHALT - ASPH CONC 9.5mm SUPERPAVE (140 LB/SY)
GRADED AGGREGATE BASE, 6"
CONCRETE - RESIDENTIAL - DRIVEWAY CONCRETE, 6" THICK

UTILITIES

THE FOLLOWING UTILITY OWNERS HAVE FACILITIES ON THIS PROJECT:

UTILITY OWNER	SERVICE
GEORGIA POWER DISTRIBUTION	ELECTRIC
CITY OF ATLANTA (COA)	SEWER
AT&T	TELEPHONE
CITY OF ATLANTA WATER	WATER
ATLANTA GAS LIGHT (AGL)	GAS
COMCAST (CC)	CABLE TV
ZAYO FIBER SOLUTIONS	TELECOMMUNICATIONS
LEVEL 3 TELECOMMUNICATIONS	TELECOMMUNICATIONS
GDOT	ITS
CITY OF ATLANTA	TRAFFIC CONTROL

GDOT LIGHTING - LIGHTING
CONTACT: BRADLEY EHRMAN
TEL. NO. : (404) 631-1669

GDOT TRAFFIC CONTROL (GDOT) - TRAFFIC
5025 NEW PEACHTREE RD
CHAMBLEE, GA 30341
TEL. NO. : (770) 986-1011

NOTE: LOCATED ALONG SR 400, I-85 AND BUFORD HWY.
(THE RECORDS ON FILE ARE FOR THE BRIDGES CONNECTING SR 400 AND I-85 ONLY.)

MISCELLANEOUS

A N.O.I. IS REQUIRED FOR THIS PROJECT.

ALL BORROW SITES, WASTE SITES AND BRIDGE DISPOSAL SITES FOR THIS PROJECT SHALL BE ENVIRONMENTALLY APPROVED PRIOR TO CONSTRUCTION. ALL COMMON FILL OR EXCESS MATERIAL DISPOSED OUTSIDE THE PROJECT RIGHT OF WAY SHALL BE PLACED IN EITHER A PERMITTED SOLID WASTE FACILITY, A PERMITTED INERT WASTE LANDFILL OR IN A ENGINEERED FILL.

CONTRACTOR SHALL COORDINATE WITH THE AREA OFFICE TWO WEEKS PRIOR TO THE INSTALLATION OF THE GUARDRAIL.

ALL SPECIAL ROADSIDE SIGNS SHALL BE MAINTAINED AT ALL TIMES BY THE CONTRACTOR. MAINTAINING, INCLUDING INSTALLING TEMPORARY POSTS, SHALL BE INCLUDED IN THE OVERALL BID PRICE FOR TRAFFIC CONTROL.

WORK IN DEKALB COUNTY CONSISTS OF SIGNS ONLY.

THE CONTRACTOR SHALL REPAIR OR REPLACE ANY CONCRETE BARRIER OR GUARDRAIL IMPACTED BY THE REMOVAL AND REPLACEMENT OF SIGN STRUCTURES.

NOISE BARRIERS SHALL BE INSTALLED WITH DEPARTMENT APPROVED MECHANICAL CONNECTIONS.

THE CONTRACTOR SHALL COORDINATE WITH GDOT REGARDING THE FIBER ALLOCATION DETAILS.

THE CONTRACTOR SHALL COORDINATE WITH GDOT REGARDING LINE OF SIGHT FOR ITS MICROWAVE SYSTEM WITHIN THE PROJECT LIMITS.

GENERAL NOTES



PIPE CULVERT MATERIAL ALTERNATES FOR PIEDMONT/BLUE RIDGE REGION

TYPE OF PIPE INSTALLATION	C O N C R E T E	CORRUGATED STEEL AASHTO M-36		CORRU- GATED ALUMINUM AASHTO M-196	PLASTIC			
		ALUMINUM COATED (TYPE 2) CORR. STEEL	PLAIN ZINC COATED	PLAIN UNCOATED ALUMINUM	CORR. POLY- ETHYLENE AASHTO M-252	CORR. POLY- ETHYLENE SMOOTHED LINED AASHTO M-294 TYPE 'S'	POLY VINYL CHLORIDE (PVC) PROFILE WALL AASHTO M-304	POLY VINYL CHLORIDE (PVC) CORRUGATED SMOOTH INTERIOR ASTM F-949
LONGITUDINAL INTERSTATE AND TRAVEL BEARING	X							
LONGITUDINAL NON-INTERSTATE AND NON-TRAVEL BEARING	X	X		X	X	X	X	
STORM DRAIN	GRADE ≤ 10%	ADT < 250	X		X	X	X	X
		250 < ADT < 1500	X	X*		X	X	X
		ADT > 1500	X					
GRADE > 10%	ADT < 250		X		X	X	X	
	ADT > 250				X	X	X	
SIDE DRAIN	X	X		X	X	X	X	
PERMANENT SLOPE DRAIN		X	X	X	X	X	X	
PERFORATED UNDERDRAIN		X	X	X	X	X	X	

* This type pipe can be used if the additional of Type "B" Coating (AASHTO M-190, Half Bituminous Coated with Paved Invert) is utilized

NOTE:

1. ALLOWABLE MATERIALS ARE INDICATED BY AN "X".
2. STRUCTURAL REQUIREMENTS OF STORM DRAIN PIPE WILL BE IN ACCORDANCE WITH GEORGIA STANDARD 1030-D OR 1030-P, WHICHEVER IS APPLICABLE, AND THE STANDARD SPECIFICATIONS.
3. THE CONTRACTOR SHALL PROVIDE ADDITIONAL STORM SEWER CAPACITY CALCULATIONS IF A PIPE MATERIAL OTHER THAN CONCRETE IS SELECTED.

**RELEASED FOR CONSTRUCTION
FEBRUARY 28, 2012**

	<p>Archer Western Contractors</p>		<p>REVISION DATES</p> <table border="1" style="width:100%; border-collapse: collapse;"> <tr><td> </td><td> </td><td> </td></tr> </table>																			<p>STATE OF GEORGIA DEPARTMENT OF TRANSPORTATION OFFICE: INNOVATIVE PROGRAM DELIVERY GENERAL NOTES</p> <p>S. R. 400/ I-85 CONNECTOR RAMPS</p>
	<p>Heath & Lineback Engineers INCORPORATED 2390 CANTON ROAD, BUILDING 200 MARIETTA, GEORGIA 30066-5393 (770)424-1668</p>			<p>DRAWING No. 4-001</p>																		