




PLAN



ELEVATION




SECTION A-A
BENT 3 OR 18 PIPE ATTACHMENT DETAIL



SECTION B-B

NOTES:

1. DECK DRAINS SHALL BE INSTALLED IN ACCORDANCE WITH GEORGIA DOT SPECIFICATIONS.
2. ALL MATERIALS AND WORK TO INSTALL DECK DRAIN SYSTEM TO BE INCLUDED IN PRICE BID FOR "DECK DRAIN SYSTEM".
3. CONTRACTOR SHALL FURNISH SHOP DRAWINGS OF COMPLETE DECK DRAIN SYSTEM FOR APPROVAL BY THE ENGINEER.
4. ALL DECK DRAIN PIPES SHALL BE PVC SCH. 80.
5. CUT OR SLIGHTLY ADJUST TYPICAL BARS ONLY AS NECESSARY TO PLACE DRAIN.
6. VACUUM HOSE SHALL BE HEAVY DUTY RUBBER HOSE AS MANUFACTURED BY CAPITAL RUBBER CORPORATION OR APPROVED EQUAL. DIAMETER SHALL BE SIZED TO HANDLE SCUPPER DRAIN SPOUT.
7. VACUUM HOSES SHALL BE CLAMPED WITH 3/4" WIDE STAINLESS STEEL BANDS.
8. ALL DECK DRAIN COMPONENTS SHALL BE GALVANIZED.



PLAN
EXTRA SLAB REINFORCEMENT FOR DECK DRAIN

* NEENAH R-3945 BRIDGE DRAIN OR EQUAL.

RELEASED FOR CONSTRUCTION
MARCH 15, 2012

BRIDGE NO. 4

GEORGIA DEPARTMENT OF TRANSPORTATION ENGINEERING DIVISION-OFFICE OF BRIDGES AND STRUCTURES	
DRAINAGE DETAILS SR 400 SOUTHBOUND TO I-85 NORTHBOUND FLYOVER SR 400/I-85 CONNECTOR RAMPS FULTON COUNTY NH000-0085-02(153)	
SCALE: NO SCALE MARCH 2012	
DESIGNED	BCB/GBL
CHECKED	MS/KAK
REVIEWED	
DRAWN	DB/BCB
DESIGN GROUP	
APPROVED	

DRAWING NO.	35.4 - 18
BRIDGE SHEET	18 OF 50

DATE	REVISIONS	BY