AF 48961A

STATE	PROJECT NUMBER	SHEET NO.	TOTAL SHEETS
GA.	NHS-M001-00(732)	1448	159





ALTERNATE DETAIL - APPLICABLE WHERE SHOWN ON PLANS



SIDE BARRIER DETAIL

NOTE: REINFORCING STEEL NOT SHOWN. SEE REINFORCING STEEL DETAILS FOR APPROPRIATE SIDE BARRIER.

SECTION A-A



SIDE BARRIER ADJACENT TO WALL DETAIL

NOTE: DO NOT USE THIS SECTION IF SIDE BARRIER ENCROACHES ON ROADWAY SHOULDERS.

SECTION B-B



PLAN

X = 25 MINIMUM



MEDIAN BARRIER DETAIL

SECTION A1-A1

NOTE:

WHERE BARRIER HEIGHTS ON OPPOSITE SIDES VARY, PAYMENT FOR TP 26-S BARRIER SHALL INCLUDE ALL EXTENDED FOOTINGS AND ADDITIONAL HEIGHTS WITH THE REQUIRED REINFORCING AS SHOWN ON SEPARATE DETAILS AND/OR STANDARDS FOR TP'S. 21, 22-A, 22-B, OR OTHER SPECIFIED DESIGNS FOR THE REQUIRED ELEVATION DIFFERENCES.

NOTES:

1. THE DESIGN OF SIGN SUPPORT AND FOOTING SHALL BE DESIGNED BY THE CONTRACTOR RESPONSIBLE FOR CONSTRUCTING THE TYPE 26-S BARRIER, AND APPROVED BY THE GA. DEPT. OF TRANSPORTATION PRIOR TO START OF CONSTRUCTION.
2. ANCHOR BOLT SPACING AND BARRIER WIDTH WILL DEPEND ON THE DESIGN OF THE SUPPORT BASE PLATE AND WILL BE DETERMINED BY THE CONTRACTOR AND APPROVED BY THE ENGINEER.
3. DEPTH AND SHAPE OF FOOTING SHALL BE DETERMINED BY THE CONTRACTOR.*
4. THE PRICE BID FOR CONCRETE BARRIER, TP. 26-S, SHALL INCLUDE THE ANCHOR BOLTS, BARRIER, FOOTING, AND MATERIAL NECESSARY TO BUILD THE FOOTING UP TO THE TOP OF THE BARRIER.
5. SEE PLANS FOR LOCATIONS.
6. BASIS OF PAYMENT:
   CONCRETE MEDIAN BARRIER, TP. 26-S _____ PER LIN. FT.
   OR
   CONCRETE SIDE BARRIER, TP. 26-S _____ PER LIN. FT.
7. PAYMENT FOR TYPE 26-S BARRIER SHALL INCLUDE THE 1" EXPANSION JOINTS AT EACH END AND NEAT VERTICAL SAWED JOINTS AT ANY REMOVAL LINES.
8. PAYMENT FOR TYPE 26-S BARRIER SHALL INCLUDE RESTORING DISTURBED SHOULDER TO EXISTING ELEVATION WITH A MINIMUM 12" DEPTH CLASS "B" CONCRETE PLUS SURFACE COURSE TO MATCH THE EXISTING SHOULDER OR REPLACING THE DISTURBED SHOULDER IN KIND.

★ THE CONTRACTOR RESPONSIBLE FOR CONSTRUCTING THE TYPE 26-S CONCRETE BARRIER SHALL BE RESPONSIBLE FOR OBTAINING APPROVED ANCHOR BOLT SIZES AND SPACINGS FROM THE SIGN CONTRACTOR.

BY	REVISION	DATE
RJC	REV. TO SHOW 12" DEPTH	12-2-98

DEPARTMENT OF TRANSPORTATION
STATE OF GEORGIA

CONCRETE MEDIAN BARRIER
DETAILS OF TYPE 26-S
(FOR SIGN SUPPORTS)

SCALE: NO SCALE DATE:

DESIGNED: (SUBMITTED)
DRAWN: STATE ROAD & AIRPORT DESIGN ENGR.
CHECKED: (APPROVED)
STATE HIGHWAY ENGINEER